








Instruction

CRUISE CONTROL

GB

| | | | |
|--|---|-------------------|--------------------|
| Model | Boxer III 2006- Ducato III 2006- Jumper III 2006- | Model | HDI, manuel gear |
| | | Description | Cruise control |
| | | Partnumber: | DC 90502 |
| | | Manufacturer | Dancar Autosikring |
| Production | 30/10/06 | Installation time | 40 min. |
|  <p>Tested and approved from 35 km/h until 140 km/h</p> | <p>The product which is described in the guide was developed, produced and inspected as regards the necessary security precautions. In order to guarantee a faultless operation and thus exclude the danger to people and objects, this product must be mounted in accordance with professional guidelines. Internal fitting must thus only be performed by professionals who possess the necessary technical knowledge and the necessary tools. The mounting guide must be read thoroughly. Before starting the mounting you must make sure that the mounting kit is complete.</p> | | |


Contents

| | | | |
|--|---|--|---|
| <p>CC 002</p>  <p>Main unit Version 3.2-</p> | <p>DC 20100</p>  <p>Maincablel</p> | | |
| <p>DC 1055</p>  <p>CAN interface</p> | <p>MS-700</p>  <p>Stalk command</p> | <p>JKH100</p>  <p>User manual</p> | <p>JKH0013</p>  <p>Fittinginstruction</p> |


Copyright

Dancar Autosikring ApS Smedevænget 20 Dk-2640 Hedehusene tlf: 46591228 www.dancar.dk


TURN IGNITION OFF




TAKE OUT THE BLUE CONNECTOR FROM BSI



TAKE APART



INSERT WIRES




DC 1055


RED no. 13

BLUE no. 44


PINK no. 45




INSERT




INSERT BLUE CONNECTOR IN BSI



INSERT



GENERAL



DATA

Technical information:

| | |
|-------------------|--------------------|
| Consumption | 20 mAh |
| Dimensions: | 82X53X27 |
| Weight: | 57 g. |
| Supply: | 12 v. dc |
| Marking: | E11 marking |
| Patent: | PR 176226 |
| TÜV/KBA: | 90989 |
| User instruction: | Seperat |

e11

10R-023610 Part No. 01T-063338

